



Completely read all the instructions before installation
Improper installation will void warranty

Step 1

Tools needed:
8mm Socket
Wire Splice Connector

Step 2

Remove the OEM tail gate cap by pulling apart the tail gate cap from the clips.

Step 3


Remove the Anzo Spoiler 5 function out of its box.

Step 4

Disconnect the Anzo Spoiler wire loom connectors.

Step 5

Slide the part of Anzo Spoiler wire loom connected to the Spoiler through the opening within the top of the tail gate.

Step 6


Pull out the wire loom through the opening within the bottom of the tail gate.

Step 7

Connect the two wire loom connectors back into its place.

Step 8

Remove the passenger side tail light by removing the two 8mm

Step 9

Remove the reverse and the brake light bulbs from its sockets.

Step 10




Splice the white Anzo Spoiler power source wire to the red reverse light power source wire.

Step 11




Re-install the passenger tail light by reversing steps 6 and 7.

Step 12



Align the Anzo Spoiler 5 function along the clips of the tail gate.

Step 13



Firmly push in the Anzo Spoiler 5 function until it is securely

Step 14



Connect the 5 function harness to the hitch outlet.

Step 15



Test all functions before operating the vehicle.

AnzoUSA™ products are covered, by a limited one (1) year warranty, to be free of manufacturer's defects. However, certain AnzoUSA™ product categories have warranty policies which differs from this standard, please contact your representative for detailed category information. Damage due to improper installation or road hazards are not covered. Seller and manufacturers' only obligations shall be to replace the product proven to be defective. Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.

Also available from



**UNIVERSAL
DUAL 4 WIRE FLAT ADAPTER**

**UNIVERSAL
7 PIN UNIVERSAL TRAILER ADAPTER**



**851009
Dual 4 Wire Flat Adapter**
• Simple plug and play
• Plugs into any vehicle side 4 wire flat



**851010
7 Pin Universal Trailer Adapter**
• Plugs into most 7 pin trailer outlets
• Two 4 wire flat connectors
• 12v + and reverse leads for auxiliary lighting
• Color coded wiring to match most trailer application

